

# Receiving Report

Date:

13/12/2

Batch No:

M127668

Supplier:

netax solution

Dart P/O:

22205

Packing Slip:

Yes ☒

No

Invoice:

Yes ☐

No ☒

Receipt:

Cash ☐

Cr ☒

Release Note Attached:

Yes ☒

No

N/A

Waybill Attached:

Yes ☐

No ☒

N/A

Shipment Complete:

Yes ☒

No

N/A

QC6 Inspection

pm13-12-3

N/A

Work Order

N/A ☒

## Discrepancies

| Part Number | Description | Quantity Ordered | Quantity Received | Quantity Returned | Quantity Short | Comments |
|-------------|-------------|------------------|-------------------|-------------------|----------------|----------|
|             |             |                  |                   |                   |                |          |
|             |             |                  |                   |                   |                |          |
|             |             |                  |                   |                   |                |          |
|             |             |                  |                   |                   |                |          |

Initials of receiver (if shipment OK) Level 12

[Signature]

Production/Admin:

Date

13/12/2

Received/Costing

Initial

[Signature]

Location

## Page 1 of 1

All amounts are calculated in domestic currency.

## All Line Item Types

## All Currencies

Grouped by Vendor ID

[illegible]

## Shipping Order

29/11/2013

MÉTAUX SOLUTIONS INC  
2625 BOUL JACQUES CARTIER EST  
LONGUEUIL, QUEBEC  
J4N 1L7  
Tel.: 450 641-3330

Order : 92532  
Reference : 22205  
Bid : 8713  
Ship : PICK UP / PICK UP

Customer: 6323336


## Ship To

DART AEROSPACE LTD  
1270, ABERDEEN STREET  
HAWKESBURY, ONTARIO  
K6A 1K7

Same

Tel.: 1 613 632-3336

| Item No. | Description  | Qty | Qty Deliver | B/O Qty |
|----------|--|-----|-------------|---------|
| AS03224  | 2024-T3 ALU SHEET .032" X 4' X 12'<br>8 -PCES PVC BOTH SIDE<br>HT:642769A4 | 8   | 8           | Ø       |
| AS08024  | ALU SHEET .080 2024 T-3<br>4 PCES 4' X 12'<br>HT:608402A4                  | 4   | 4           | Ø       |
| AS1824   | ALU SHE .125" TH 2024-T3<br>2 PCES 4' X 12'<br>HT:642877A5                 | 2   | 2           | Ø       |
|          | SHIP TST COLLECT<br>JP   |     |             |         |



Shipping :  
Package No :  
Merchandise Received: \_\_\_\_\_

Ref. : \_\_\_\_\_

SHIP TO:

**KAISER  
ALUMINUM**Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586**CERTIFIED TEST REPORT**Serial Number  
4306100

SOLD TO:

|                               |                           |                          |                |                                    |   |                                       |                                      |                       |  |
|-------------------------------|---------------------------|--------------------------|----------------|------------------------------------|---|---------------------------------------|--------------------------------------|-----------------------|--|
| CUSTOMER PO NUMBER:<br>C67160 |                           | WORK PACKAGE:            |                | CUSTOMER PART NUMBER:              |   | SHIP RUN/LOAD:<br>102705/1            |                                      | GOVT CONTRACT NUMBER: |  |
| KAISER ORDER NO:<br>1156898   | LINE ITEM:<br>1           | SHIP DATE:<br>9-AUG-2013 | ALLOY:<br>2024 | CLAD:<br>BARE                      | TEMPER:<br>T3                               | PRODUCT DESCRIPTION:<br>HT Flat Sheet |                                      |                       |  |
| WEIGHT SHIPPED:<br>6547 LB    | QUANTITY:<br>290 PCS EST. | TRUCK B/L #:<br>2043481  |                | GAUGE:<br>0.0320 IN<br>(0.8128 MM) | DIAMETER/WIDTH:<br>48.000 IN<br>(1219.2 MM) |                                       | LENGTH:<br>144.000 IN<br>(3657.6 MM) |                       |  |

MHU 1699183: LOT 649184A1: 150 pieces; 094-6316  
 MHU 1705904: LOT 642769A4: 140 pieces; 12

**Certified Specifications**AMS 4037/RevP  
CMMP 019/RevDAMS-QQ-A-250/4/RevA  
CMMP 025/RevU

ASTM B 209/Rev10

Test Code: 1504

**Test Results**Lot 642769A4 Cast 629

Drop 53

Ingot 2

Melted in USA

(ASTM E8/B557)  
(EN 2002-1)

Tensile:

Temper  
T3Dir / # Tests  
LT / 2 (Min:Max)Ultimate KSI (MPA)  
67.9 : 68.8  
(468 : 474)Yield KSI (MPA)  
45.6 : 45.9  
(314 : 316)Elongation %  
16.7 : 18.4

(ASTM E1251)

Chemistry:

Actual(wt%)

SI  
0.09FE  
0.19CU  
4.4MN  
0.61MG  
1.3CR  
0.01ZN  
0.10TI  
0.02V  
0.01ZR  
0.00

TOT

OTHER  
0.03

**KAISER  
ALUMINUM**Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586**CERTIFIED TEST REPORT**Serial Number  
4306100

Lot: 649164A1 Cast 623 Drop 60 Ingot 4 Melted in USA

(ASTM E8/B557)

(EN 2002-1)

| Tensile: | Temper | Dir / # Tests    | Ultimate KSI (MPA)         | Yield KSI (MPA)            | Elongation % |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
|          | T3     | LT / 2 (Min:Max) | 86.3 : 67.0<br>(457 : 462) | 44.1 : 44.2<br>(304 : 305) | 17.0 : 17.3  |

(ASTM E1251)

| Chemistry:  | SI   | FE   | CU  | MN   | MG  | CR   | ZN   | TI   | V    | ZR   | OTHER    |
|-------------|------|------|-----|------|-----|------|------|------|------|------|----------|
| Actual(wt%) | 0.09 | 0.22 | 4.5 | 0.60 | 1.3 | 0.01 | 0.07 | 0.02 | 0.01 | 0.00 | TOT 0.03 |


**ALLOY LIMITS**

|          | SI   | FE   | CU  | MN   | MG  | CR   | ZN   | TI   | V    | ZR   | OTHER | MAX  |
|----------|------|------|-----|------|-----|------|------|------|------|------|-------|------|
| 2024     |      |      |     |      |     |      |      |      |      |      |       |      |
| MIN(wt%) | 0.00 | 0.00 | 3.8 | 0.30 | 1.2 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | EACH  | 0.05 |
| MAX(wt%) | 0.50 | 0.50 | 4.9 | 0.9  | 1.8 | 0.10 | 0.25 | 0.15 | 0.05 | 0.05 | TOT   | 0.15 |

Aluminum Remainder

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content. This material has been inspected, tested and found in conformance with the requirements of the applicable specifications as indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. All metal which is solution heat treated complies with AMS 2772. Any warranty is limited to that shown on Kaiser's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of Kaiser Aluminum Fabricated Products, LLC laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law. ISO-9001:2000 certified.



JAMES HEMENWAY, LABORATORIES SUPERVISOR

|          |
|----------|
| SHIP TO: |
| SOLD TO: |

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number

4280390

|                                   |                           |  |                                      |   |
|-----------------------------------|---------------------------|--|--------------------------------------|---|
| CUSTOMER PO NUMBER:<br>C65736 NOV | WORK PACKAGE:             | CUSTOMER PART NUMBER:                    | SHIP RUN/LOAD:<br>102468/1           | GOVT CONTRACT NUMBER:                       |
| KAISER ORDER NO:<br>1140408       | LINE ITEM:<br>8           | SHIP DATE:<br>1-NOV-2012                 | ALLOY:<br>2024                       | CLAD:<br>BARE                               |
| TEMPER:<br>T3                     |                           | PRODUCT DESCRIPTION:<br>Kaiser Stretched |                                      |   |
| WEIGHT SHIPPED:<br>6381 LB        | QUANTITY:<br>113 PCS EST. | TRUCK B/L #:<br>2039511                  | GUAGE:<br>0.0800 IN<br>(2.0320 MM)   | DIAMETER/WIDTH:<br>48.000 IN<br>(1219.2 MM) |
|                                   |                           |  | LENGTH:<br>144.000 IN<br>(3657.6 MM) |   |

MHU 1627257: LOT 608402A4 45 pieces; D325619  
 MHU 1627260: LOT 608402A4 58 pieces; D325620

### Certified Specifications

AMS 4037/RevP  
CMMP 019/RevD

AMS-QQ-A-250/4/RevA  
CMMP 025/RevU

ASTM B 209/Rev10

Test Code: 1504

### Test Results

Lot: 608402A4 Cast 587

Drop 29

Ingot 3

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

|          |              |                                   |  |   |                             |
|----------|--------------|-----------------------------------|--|---|-----------------------------|
| Tensile: | Temper<br>T3 | Dir / # Tests<br>LT / 2 (Min:Max) | Ultimate KSI (MPA)<br>67.7 : 67.8<br>(467 : 467) | Yield KSI (MPA)<br>46.3 : 46.3<br>(319 : 319) | Elongation %<br>18.6 : 18.7 |
|----------|--------------|-----------------------------------|--|---|-----------------------------|

(ASTM E1251)

|             |      |      |     |      |     |      |      |      |      |      |          |
|-------------|------|------|-----|------|-----|------|------|------|------|------|----------|
| Chemistry:  | SI   | FE   | CU  | MN   | MG  | CR   | ZN   | TI   | V    | ZR   | OTHER    |
| Actual(wt%) | 0.07 | 0.20 | 4.5 | 0.57 | 1.4 | 0.01 | 0.11 | 0.02 | 0.01 | 0.00 | TOT 0.04 |

### ALLOY LIMITS

|          |      |      |     |      |     |      |      |      |      |      |       |      |
|----------|------|------|-----|------|-----|------|------|------|------|------|-------|------|
|          | SI   | FE   | CU  | MN   | MG  | CR   | ZN   | TI   | V    | ZR   | OTHER | MAX  |
| 2024     |      |      |     |      |     |      |      |      |      |      |       |      |
| MIN(wt%) | 0.00 | 0.00 | 3.8 | 0.30 | 1.2 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | EACH  | 0.05 |
| MAX(wt%) | 0.50 | 0.50 | 4.9 | 0.9  | 1.8 | 0.10 | 0.25 | 0.15 | 0.05 | 0.05 | TOT   | 0.15 |

Aluminum Remainder

**KAISER  
ALUMINUM**


Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

**CERTIFIED TEST REPORT**

Serial Number  
4280390

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 282.228 for domestic content. This material has been inspected, tested and found in conformance with the requirements of the applicable specifications as indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. All metal which is solution heat treated complies with AMS 2772. Any warranty is limited to that shown on Kaiser's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of Kaiser Aluminum Fabricated Products, LLC laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law. ISO-9001:2000 certified.



**JAMES HEMENWAY, LABORATORIES SUPERVISOR**

SHIP TO:

**KAISER  
ALUMINUM**Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586**CERTIFIED TEST REPORT**Serial Number  
4306101

SOLD TO:

|                               |                          |                          |                                   |  |                                      |  |  |                        |  |
|-------------------------------|--------------------------|--------------------------|-----------------------------------|--|--------------------------------------|--|--|------------------------|--|
| CUSTOMER PO NUMBER:<br>C67160 |                          | WORK PACKAGE:            |                                   | CUSTOMER PART NUMBER:                        |                                      | SHIP RUN/LOAD:<br>102705/1               |  | GOV'T CONTRACT NUMBER: |  |
| KAISER ORDER NO:<br>1156898   | LINE ITEM:<br>5          | SHIP DATE:<br>9-AUG-2013 | ALLOY:<br>2024                    | CLAD:<br>BARE                                | TEMPER:<br>T3                        | PRODUCT DESCRIPTION:<br>Kaiser Stretched |  |                        |  |
| WEIGHT SHIPPED:<br>6679 LB    | QUANTITY:<br>75 PCS EST. | TRUCK B/L #:<br>2043481  | GAGE:<br>0.1250 IN<br>(3.1750 MM) | DIA/METER WIDTH:<br>48.000 IN<br>(1219.2 MM) | LENGTH:<br>144.000 IN<br>(3657.6 MM) |  |  |                        |  |

MHU 1702728: LOT 642983A3: 26 pieces; 12846328

MHU 1702735: LOT 642877A5: 32 pieces LOT 642983A3: 17 pieces; 0946331 - 0946330

**Certified Specifications**AMS 4037/RevP  
CMMP 019/RevDAMS-QQ-A-250/4/RevA  
CMMP 025/RevU

ASTM B 209/Rev10

Test Code: 1504

**Test Results**

Lot: 642877A5 Cast 829

Drop 10

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

|          |        |                  |                            |                            |              |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| Tensile: | Temper | Dir / # Tests    | Ultimate KSI (MPA)         | Yield KSI (MPA)            | Elongation % |
|          | T3     | LT / 2 (Min:Max) | 68.1 : 68.1<br>(470 : 470) | 45.9 : 47.0<br>(318 : 324) | 20.2 : 20.4  |

(ASTM E1251)

|             |        |        |       |        |       |        |        |        |        |      |          |
|-------------|--------|--------|-------|--------|-------|--------|--------|--------|--------|------|----------|
| Chemistry:  | SI     | FE     | CU    | MN     | MG    | CR     | ZN     | TI     | V      | ZR   | OTHER    |
| Actual(wt%) | 0.09 ✓ | 0.22 ✓ | 4.4 ✓ | 0.54 ✓ | 1.3 ✓ | 0.01 ✓ | 0.12 ✓ | 0.02 ✓ | 0.01 ✓ | 0.00 | TOT 0.03 |





# KAISER

## ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

### CERTIFIED TEST REPORT

Serial Number  
4306101

Lot: 642963A3 Cast 629 Drop 07 Ingot 1 Melted in USA

(ASTM E8/B557)

(EN 2002-1)

|          |        |                  |                            |                            |              |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| Tensile: | Temper | Dir / # Tests    | Ultimate KSI (MPA)         | Yield KSI (MPA)            | Elongation % |
|          | T3     | LT / 2 (Min:Max) | 66.5 : 66.6<br>(459 : 459) | 44.8 : 45.4<br>(309 : 313) | 19.6 : 20.9  |

(ASTM E1251)

|             |      |      |     |      |     |      |      |      |      |      |          |
|-------------|------|------|-----|------|-----|------|------|------|------|------|----------|
| Chemistry:  | SI   | FE   | CU  | MN   | MG  | CR   | ZN   | TI   | V    | ZR   | OTHER    |
| Actual(wt%) | 0.09 | 0.21 | 4.3 | 0.55 | 1.4 | 0.01 | 0.17 | 0.02 | 0.01 | 0.00 | TOT 0.04 |

#### ALLOY LIMITS

|          |      |      |     |      |     |      |      |      |      |      |       |      |
|----------|------|------|-----|------|-----|------|------|------|------|------|-------|------|
|          | SI   | FE   | CU  | MN   | MG  | CR   | ZN   | TI   | V    | ZR   | OTHER | MAX  |
| 2024     |      |      |     |      |     |      |      |      |      |      |       |      |
| MIN(wt%) | 0.00 | 0.00 | 3.8 | 0.30 | 1.2 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | EACH  | 0.05 |
| MAX(wt%) | 0.50 | 0.50 | 4.9 | 0.9  | 1.8 | 0.10 | 0.25 | 0.15 | 0.05 | 0.05 | TOT   | 0.15 |

Aluminum Remainder

#### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content. This material has been inspected, tested and found in conformance with the requirements of the applicable specifications as indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. All metal which is solution heat treated complies with AMS 2772. Any warranty is limited to that shown on Kaiser's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of Kaiser Aluminum Fabricated Products, LLC laboratory. The recording of false, fictitious or fraudulent statements or entries on this certificate may be punished as a felony under federal law. ISO-9001:2000 certified.

*James J. Hemmenway*

JAMES HEMENWAY, LABORATORIES SUPERVISOR



Page 2 of 2



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO22205**

Purchase Order Date 11/27/2013

PO Print Date 11/27/2013

Page Number 1 of 2

Order From: METAUX SOLUTIONS  
2625 BOUL JACQUES-CARTIER EST  
LONGUEUIL, QC J4N 1L7  
CA

VC-MET002

Ship To: DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

REVISED

Contact Name  
Vendor Phone 800 558 8858

Buyer Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB Destination-Collect

Ship To Contact

Ship To Phone

Ship Via: TST ground

Ship Acct:

FAKED  
C 13/11/27

M127668

| Line Nbr  | Reference Vendor Part Number<br>Line Comments<br>Delivery Comments | Description/<br>Mfg ID | Req Date/<br>Taxable<br>Promise Date | CD | Req Qty/<br>Unit of<br>Measure | PO Unit Price | Extended Price |
|---|--|------------------------|--------------------------------------|----|--------------------------------|---------------|----------------|
| 1   | M2024T3S.032   | 2024-T3 .032 sheet     | 11/29/2013<br>Yes<br>11/29/2013      |    | 384.00<br>sf                   | \$5.65        | \$2,169.60     |
| MATERIAL: 2024-T3 ALUMINUM SHEET<br>AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR<br>AMS 4037 OR ASTM B209 |  |                        |                                      |    |                                |               |                |
| Line Total:   |  |                        |                                      |    |                                |               | \$2,169.60     |
| 2   | M2024T3S.080   | 2024-T3 .080 sheet     | 11/29/2013<br>Yes<br>11/29/2013      |    | 192.00<br>sf                   | \$12.49       | \$2,397.31     |
| MATERIAL AS ABOVE   |  |                        |                                      |    |                                |               |                |
| Line Total:   |  |                        |                                      |    |                                |               | \$2,397.31     |
| 3   | M2024T3S.125   | 2024-T3 .125 sheet     | 11/29/2013<br>Yes<br>11/29/2013      |    | 96.00<br>sf                    | \$19.63       | \$1,884.70     |
| MATERIAL AS ABOVE   |  |                        |                                      |    |                                |               |                |

13/12/2

Note:

11/27/2013



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

**Purchase Order ID PO22205**

**Purchase Order Date** 11/27/2013

**PO Print Date** 11/27/2013

**Page Number** 2 of 2

**Order From :**  
METAUX SOLUTIONS  
2625 BOUL JACQUES-CARTIER EST  
LONGUEUIL, QC J4N 1L7  
CA

VC-MET002

**Ship To :** DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**  
**Vendor Phone** 800 558 8858  
  
**Ship To Contact**  
**Ship To Phone**  
**Ship Via:** TST ground  
**Ship Acct:**

**Buyer** Chantal Lavoie  
**Customer POID**  
**Customer Tax #** 10127-2607  
**Terms** Net 30  
**Currency** CAD  
**FOB** Destination-Collect

**Line Total:** \$1,884.70

**PO Total:** \$6,451.61

*WCS*

**Note:** Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.  
No substitution or deviation without consent.  
Certificate of Conformity or Material Certification required ☒ YES ☐ NO  
PST# 6122-5207

**Change Nbr:**

2

**Change Date:** 11/27/2013